


Thermal Printer

SLP600 Serie



SLP620

- 300 dpi (650/650SE), 203dpi (620)
- 100mm/s (650/650SE), 70mm/s (620)
- USB (650/620), Seriell und USB (650SE)

Model	SLP 620	SLP 650/650SE
Technologie	Thermodirekt	
Druck	Auflösung dpi (Punkte/mm)	203 (8)
	Max. Papierbreite (mm)	57,9
	Max. Druckbreite (mm)	48
	Geschwindigkeit (mm/S)	70*
Barcode	Code39, I-2 of 5, Code128, EAN13, EAN128, UPC-A, UPC-E, Codabar, Maxi Code, PDF417, Data Matrix, QR Code	
Schnittstelle	USB	650 USB / 650SE USB, RS-232C
Netzteil (V) DC	5,7 bis 6,3	11,4 bis 12,6
Stromaufnahme (A)	Normal	2,3
	Maximum	2,5
Lebensdauer	Abriebresistenz (km)	6
Betriebstemperatur (°C)	5 bis 40	
Lagertemperatur (°C)	-20 bis 60	
Abmessungen (B x T x H mm)	113,8 x 172,0 x 148,0	
Gewicht (g)	ca. 490	
Software	Windows® 2000, 2003, XP, Vista, 7 / Mac OS X ab 10.5	

*durchschnittliche Druckgeschwindigkeit bei einer Umgebungstemperatur von 25°C und einer Etikettenlänge von 89 mm.



SLP650

SLP650SE



Alle Spezifikationen können ohne vorherige Ankündigung geändert werden.



Label Type	Product Code	Size	Labels/Roll	Rolls/Box	Box/Carton	FSC® Cert.	Property
Address Labels							
Address Label clear	SLP-1RLC	28 x 89 mm	130	1	12	C	
	SLP-2RLC		130	2	6	C	
	large roll for SLP-TRAY SLP-1RLB		1,000	1	12	FSC® HC	
Address Label white	standard SLP-2RL	28 x 89 mm	130	2	6	FSC®	STANDARD
	removable SLP-R2RL		130	2	6	FSC® R	
	toughie SLP-TRL		130	2	6	T	
Address Label colored	blue SLP-1BLB	28 x 89 mm	130	1	12	COL	
	green SLP-1GLB		130	1	12	COL	
	orange SLP-1OLB		130	1	12	COL	
	pink SLP-1PLB		130	1	12	COL	
	yellow SLP-1YLB		130	1	12	COL	
	Address Labels colored: Blue, green, pink and yellow in one box SLP-4AST		130	4	20	COL	
Address Label white	large roll SLP-2RLH	36 x 89 mm	260	2	6	FSC® HC	
	standard SLP-2RLE		260	2	6	FSC®	STANDARD
Return Address Label clear	SLP-RTNC	16 x 51 mm	220	2	6	C	
Shipping Labels							
Shipping Label white	standard SLP-SRL	54 x 101 mm	220	1	6	FSC®	STANDARD
	large roll for SLP-TRAY SLP-SRLB		900	1	12	FSC® HC	
	removable SLP-RSRL		220	1	6	R	
	opaque SLP-OPSRL		220	1	6	OP	
Shipping Label clear	SLP-SRLC		220	1	6	C	
Multipurpose Labels							
Multipurpose Label white, narrow	SLP-27210	10 x 71 mm	150	1	12	FSC®	STANDARD
	SLP-35L	11 x 38 mm	300	1	6	FSC®	STANDARD
	SLP-JVL	11 x 51.5 mm	1,050	1	6	FSC®	STANDARD
	SLP-VSL	19 x 147 mm	75	2	6	FSC®	STANDARD
Multipurpose Label white	tamper proof SLP-TP	25 x 54 mm	760	1	6	FSC® TP	
	round SLP-RND	Ø 28 mm	120	2	12	FSC®	STANDARD
	standard SLP-MRL	28 x 51 mm	220	2	6	FSC®	STANDARD
	large roll for SLP-TRAY SLP-MRLB		1,700	1	12	FSC® HC	
Multipurpose Label clear	standard SLP-MRLC	28 x 51 mm	220	2	6	C	
	removable SLP-RMRL		220	2	6	FSC® R	
	toughie SLP-TMRL		220	2	6	T	
Multipurpose Label white	opaque SLP-OPMRL	28 x 51 mm	220	2	6	OP	
	standard SLP-VTL		46 x 78 mm	150	1	6	FSC®
Multipurpose Label orange, round	standard SLP-ZIP	51 x 59.5 mm	190	1	6	FSC®	STANDARD
	standard SLP-RDO	Ø 54 mm	120	1	6	FSC® COL	
Multipurpose Label white	multi-part SLP-MPL4	54 x 101 mm	220	1	6	FSC®	STANDARD
Multipurpose Label white	super strong glue SLP-TIRE	54 x 101 mm	220	1	6	S	
Multipurpose Label hologram, tag	SLP-DIA	57 x 150 mm	300	1	6	TAG	
Office Supply Labels							
Stamp Label white	SLP-STAMP1	36 x 42 mm	485	2	6	FSC®	STANDARD
	SLP-STAMP2	36 x 67 mm	310	2	6	FSC®	STANDARD
File Folder Label white	standard SLP-FLW	14 x 87 mm	130	2	6	FSC®	STANDARD
	narrow SLP-FN	38 x 190 mm	110	1	6	FSC®	STANDARD
	wide SLP-FW	54 x 190 mm	110	1	6	FSC®	STANDARD
	tag SLP-ENT	39 x 75 mm	300	2	6	TAG	
Name Badge Label white	blue border SLP-NB	54 x 70 mm	160	1	6	FSC® COL	
	red border SLP-NR		160	1	6	FSC® COL	
	standard SLP-DRL		320	1	6	FSC®	STANDARD
	tag SLP-ENTL		250	1	6	TAG	
Business/Appointment Card white, tag	SLP-FCS2	57 x 89 mm	600	1	6	TAG	

- TAG non-adhesive
- R removable
- HC high-capacity
- OP opaque
- S super strong glue
- T toughie
- TP tamper proof
- COL colored
- C clear



SLP620

- 203 dpi, 70 mm/s, USB, 6 V
- 113.8 x 172 x 148 mm (W x D x H)
- 490 g
- Windows®: Vista, 7, 8, 8.1, 10
- Mac®: 10.6 or later
- Smart Label Creator Software
- Prints barcodes, graphics and text
- 2 + 1 warranty*

SLP650

- 300 dpi, 100 mm/s, USB, 12 V
- 113.8 x 172 x 148 mm (W x D x H)
- 490 g
- Windows®: Vista, 7, 8, 8.1, 10
- Mac®: 10.6 or later
- Smart Label Creator Software
- Prints barcodes, graphics and text
- 2 + 1 warranty*

SLP650SE

- 300 dpi, 100 mm/s, USB & Serial, 12 V
- 113.8 x 172 x 148 mm (W x D x H)
- 490 g
- Windows®: Vista, 7, 8, 8.1, 10
- Mac®: 10.6 or later
- Smart Label Creator Software
- Prints barcodes, graphics and text
- 2 + 1 warranty*

* Extend your warranty for one additional year by registering online within 4 weeks after purchase.

89 mm

57 mm

Pre-printed labels available

- With the text and logo of your choice
- In the color and language of your choice
- Special „visitor“ software available



SMART LABEL PRINTER® SLP620/650/650SE



DISCOVER THE WORLD OF SMART LABEL PRINTING



SMART LABEL GUIDE – ORIGINAL SIZE



SLP-TRL T 89 mm x 28 mm
SLP-2RL SLP-1RLB 89 mm x 28 mm
SLP-2RLH HC 89 mm x 28 mm
SLP-R2RL R 89 mm x 28 mm
SLP-1RLC SLP-2RLC C 89 mm x 28 mm
SLP-2RLE 89 mm x 36 mm
SLP-1BLB 89 mm x 28 mm
SLP-1GLB 89 mm x 28 mm
SLP-1OLB 89 mm x 28 mm
SLP-1PLB 89 mm x 28 mm
SLP-1YLB COL 89 mm x 28 mm
SLP-ZIP 59.5 mm x 51 mm
SLP-SRL SLP-SRLB 101 mm x 54 mm
SLP-OPSRL OP 101 mm x 54 mm
SLP-RSRL R 101 mm x 54 mm
SLP-SRLC C 101 mm x 54 mm
SLP-27210 71 mm x 10 mm
SLP-VTL 78 mm x 46 mm
SLP-RTNC C 51 mm x 16 mm
SLP-VSL 147 mm x 19 mm
SLP-RND Ø 28 mm
SLP-MRL SLP-MRLB 51 mm x 28 mm
SLP-TMRL T 51 mm x 28 mm
SLP-OPMRL OP 51 mm x 28 mm
SLP-RMRL R 51 mm x 28 mm
SLP-MRLC C 51 mm x 28 mm
SLP-TIRE S 101 mm x 54 mm
SLP-MPL4 101 mm x 54 mm
SLP-RDO COL Ø 54 mm
SLP-FW 190 mm x 54 mm
SLP-FN 190 mm x 38 mm
SLP-TP TP 54 mm x 25 mm
SLP-DRL 70 mm x 54 mm
SLP-STAMP1 42 mm x 36 mm
SLP-STAMP2 67 mm x 36 mm
SLP-ENTL TAG 89 mm x 57 mm
SLP-ENT TAG 75 mm x 39 mm
SLP-NB COL 70 mm x 54 mm
SLP-NR COL 70 mm x 54 mm
SLP-FLW 87 mm x 14 mm
SLP-DIA TAG 150 mm x 57 mm